


InBody770

Premium solution for your health



See What You're Made of

Reveal the efficiency of your consultation throughout the InBody Test



The InBody Test clearly visualizes internal change of the body. Weight alone does not accurately reflect the effects of improved nutritional status of individual. However, increased Skeletal Muscle Mass and Percent Body Fat is indicating a positive aspect of the body's change. Keeping Extracellular Water Ratio within the normal range is also indicating one's nutritional status.

The graph above is showing a body's change of a man who had about a half a year of well organized nutritional supplement and work out plan after his surgery. And the InBody Test is showing a positive progress of his body's change.

Accuracy and Reliability of the InBody are Proven by the World's Top Journals and Scholars

More than 500 articles have been published by renowned journals

Clinical reliability was proved by the world's medical professionals in numerous articles.

The InBody has 98.4% of correlation with the device DEXA(Golden standard method to analyze the body composition) and the InBody's own technologies hold patents in numerous countries throughout the world.



Validation Studies

Kriemler, S., Puder, J., Zahner, L., Roth, R., Braun-Fahrlander, C., & Bedogni, G. (2008). Cross-validation of bioelectrical impedance analysis for the assessment of body composition in a representative sample of 6-to 13-year-old children. *European journal of clinical nutrition*, 63(5), 619-626.

Ling, C. H., de Craen, A. J., Slagboom, P. E., Gunn, D. A., Stokkel, M. P., Westendorp, R. G., & Maier, A. B. (2011). Accuracy of direct segmental multi-frequency bioimpedance analysis in the assessment of total body and segmental body composition in middle-aged adult population. *Clinical Nutrition*, 30(5), 610-615.

Lim, J. S., Hwang, J. S., Lee, J. A., Kim, D. H., Park, K. D., Jeong, J. S., & Cheon, G. J. (2009). Cross-calibration of multi-frequency bioelectrical impedance analysis with eight-point tactile electrodes and dual-energy X-ray absorptiometry for assessment of body composition in healthy children aged 6-18 years. *Pediatrics International*, 51(2), 263-268.

Utter, A. C., & Lambeth, P. G. (2010). Evaluation of multifrequency bioelectrical impedance analysis in assessing body composition of wrestlers. *Med Sci Sports Exerc*, 42(2), 361-7.

Capture the single moment of your body via SMF-BIA


Another innovative achievement for BIA technology

SMF-BIA;

Simultaneous Multi-Frequency Bioelectrical Impedance Analysis

The shift of body composition and the change in water distribution of the body causes inaccurate measurements when the body composition was analyzed by former technology. InBody with its exclusive technology overcomes this limitation by flowing the multi-frequencies instantly at the same time. The innovative technology called SMF-BIA which guarantees high accuracy of measurement is proudly introduced by the InBody770 with its new generation.

When taking a photo of a moving subject with low shutter speed, the photos will be blurred. On the other hand, the photos will be crystal clear if the shutter speed is high and the exposure time of the subject is short. SMF-BIA technology has the same principle with the characteristics of photograph. When exposure time is long, then the measurement will be done even during the body moves. But with the SMF-BIA, it can capture the single moment of your body.



With the technological advancement, the InBody proved itself as the most accurate BIA device to measure the body composition.

The study shows that InBody has high correlation with DEXA.


InBody Technology

Experience the Exclusive Inbody Technology

Technical Improvement for Achieving High Accuracy and Reproducibility

High Accuracy- Correlation with the DEXA

98.4% Accuracy Validated with DEXA



Direct Segmental Measurement Wide Ranged Multi-Frequencies

DSM-BIA

SMF-BIA

Reproducibility

99% of Reproducibility



8-Point Tactile Electrodes

Thumb Electrodes



No Use of Empirical Estimation

Direct Segmental Measurement (DSM-BIA)

One of the assumptions generally taken in BIA is that the measure body is one cylinder. The InBody uses direct segmental measurement bioelectric impedance analysis (DSM-BIA), a patented technology, to precisely measure the body as 5 separate cylinders: four limbs and the trunk.

Wide Ranged Multi-Frequencies

InBody uses multi-frequencies to penetrate the cell membrane and accurately analyze intracellular water and extracellular water. By using simple frequencies, InBody accurately measures total body water, hence, is useful in analyzing individuals with imbalanced body water distribution. Especially, InBody770 uses simultaneous multi-frequencies and it makes higher accuracy of the results.

8-Point Tactile Electrodes with Thumb electrodes

Exclusive Tetra-polar 8-point electrodes allow measurements to repeatedly start at a fixed point – regardless of where electrodes are placed – to increase accuracy and reproducibility.

No Empirical Estimations

Conventional BIA devices factor body type, age, and gender into their results. The InBody only uses impedance directly acquired from each subject allowing the InBody to always produce correct results regardless of gender, age, and particularly, body type.

InBody 770, Performing for Experts


InBody Test with faster and more convenient user interface



Quick and accurate measurement with its own technology




Useful information is provided during the InBody Test



Self and Professional mode for both simple test and detailed consultation

Medically proved research level outputs



Body Water Analysis,
ECW Ratio Analysis

- Min-Hui Liu, et al. Edema index established by a segmental multifrequency bioelectrical impedance analysis provides prognostic value in acute heart failure. *Journal of Cardiovascular Medicine* 2012; 13: 299-305

Fat Free Mass,
ECW Ratio Analysis

- Takahiro Yoshikawa, et al. Association of plasma adiponectin levels with cellular hydration state measured using bioelectrical impedance analysis in patients with COPD. *International Journal of COPD* 2012; 7: 519-521

Visceral Fat Area,
ECW Ratio Analysis
Body Cell Mass

- Nagisa Hara, et al. Value of the extracellular water ratio for assessment of cirrhotic patients with and without ascites. *Hepatology Research* 2009; 39: 1072-1079

Body Water Analysis
ECW Ratio Analysis
Body Cell Mass

- Andrew Davenport. Does peritoneal dialysate affect body composition assessments using multi-frequency bioimpedance in peritoneal dialysis patients? *European Journal of Clinical Nutrition* 2012; 1-3.

Fat Free Mass,
Skeletal Muscle Mass

- Seung Seok Han, et al. Lean Mass Index: A Better Predictor of Mortality than Body Mass Index in Elderly Asians. *Journal of American Geriatric Society* 2010; 58: 321-327.

Phase Angle,
Fat Free Mass

- Kazumasa Torimoto, et al. The Effects of Androgen Deprivation Therapy on Lipid Metabolism and Body Composition in Japanese Patients with Prostate Cancer *Japanese Journal of Clinical Oncology* 2011; 41: 577-581.


Skeletal Muscle Mass,
Fat Free Mass,
Segmental Muscle Analysis

- Yuji Tajiri, et al. Reduction of Skeletal Muscle, Especially in Lower Limbs, in Japanese Type 2 Diabetic Patients With Insulin Resistance and Cardiovascular Risk Factors. *Metabolic Syndrome and Related Disorders* 2010; 8: 137-142.

* All the outputs above and outputs on each results sheet have achieved medically usable certification such as CE, FDA, and etc.

Lookin'Body Data Management Software

The Best Way to Manage from Your PC




Wireless Connection with the InBody770

Wireless Connection with the InBody770
Connect your PC with the InBody770 via Wi-Fi or Bluetooth. User data will be listed up in your PC and by using it, you can remotely control the InBody570, save details of the user, and manage appointments with email service.

Strategic Consultation

The Body Composition History graph of each category helps you see your body composition change at a glance. Additionally, the comment functionality of each consultation allows for a more personalized healthcare.

Smarter use of the InBody570 with additional features




BPBIO320 Blood Pressure Monitor

Upload-pressurized automatic blood pressure monitor gives more accurate results and it is less painful.



BSM370 Stadiometer

Precise height and weight measurement is given along with touch bar and detailed measurement sensor.



Barcode Scanner

Simply input your client's data by scanning the barcode with the scanner. Save your time for the next InBody Test.

* Software and devices above are optional.

Lookin'Body Data Management Software


The Best Way to Manage from Your PC

Give a strategic consultation via wireless connection with Lookin'Body Software



Wireless Connection with the InBody770 Connect your PC with the InBody770 via Wi-Fi or Bluetooth. User data will be listed up in your Lookin'Body software and by using it, you can remotely control the InBody770, save personal information, and manage appointments with email service.

Smarter use of the InBody570 with additional features




BPBIO320 Blood Pressure Monitor

Upload-pressurized automatic blood pressure monitor gives more accurate results and it is less painful.



BSM170 Stadiometer

Precise height and weight measurement is given along with touch bar and detailed measurement sensor.



Barcode Scanner

Simply input your client's data by scanning the barcode with the scanner. Save your time for the next InBody Test.

* Software and devices above are optional.

ID	Height	Age	Gender	Test Date / Time
SM2008	156.9cm	51	Female	2012.05.04. 09 : 46

1 Body Composition Analysis

	Values	Total Body Water	Soft Lean Mass	Fat Free Mass	Weight
Total Body Water (L)	27.5 (26.3 ~ 32.1)	27.5	35.1 (33.3 ~ 40.7)	37.3 (35.8 ~ 43.7)	59.1 (43.9 ~ 59.5)
Protein (kg)	7.2 (7.0 ~ 8.6)				
Minerals (kg)	2.63 (2.44 ~ 2.98)				
Body Fat Mass (kg)	21.8 (10.3 ~ 16.5)				

2 Muscle-Fat Analysis

	Under	Normal	Over
Weight (kg)	55 70 85 100 115 130 145 160 175 190 205		
SMM (kg)	70 80 90 100 110 120 130 140 150 160 170		
Body Fat Mass (kg)	40 60 80 100 120 140 160 180 200 220 240 260 280 300 320 340 360 380 400 420 440 460 480 500 520 540 560 580 600		

3 Obesity Analysis

	Under	Normal	Over
BMI (kg/m ²)	10.0 15.0 18.5 21.0 25.0 30.0 35.0 40.0 45.0 50.0 55.0		
PBF (%)	8.0 13.0 18.0 23.0 28.0 33.0 38.0 43.0 48.0 53.0 58.0		

4 Segmental Lean Analysis

	Under	Normal	Over	ECW Ratio
Right Arm (kg)	40 60 80 100 120 140 160 180 200			0.380
Left Arm (kg)	40 60 80 100 120 140 160 180 200			0.381
Trunk (kg)	70 80 90 100 110 120 130 140 150			0.398
Right Leg (kg)	70 80 90 100 110 120 130 140 150			0.401
Left Leg (kg)	70 80 90 100 110 120 130 140 150			0.403

5 Body Water Analysis

	Under	Normal	Over
ECW Ratio	0.320 0.340 0.360 0.380 0.390 0.400 0.410 0.420 0.430 0.440 0.450		

6 Body Composition History

	11.10.10	11.10.30	11.11.02	11.12.15	12.01.12	12.02.10	12.03.15	12.05.04
Weight (kg)	65.3	63.9	62.4	61.8	62.3	60.9	60.5	59.1
SMM (kg)	20.1	20.0	19.7	19.7	19.8	19.7	19.8	19.6
PBF (%)	41.3	40.7	39.2	39.0	39.4	38.6	37.8	36.9
ECW Ratio	0.399	0.398	0.396	0.396	0.397	0.396	0.398	0.397


Recent Total

7 InBody Score

68 / 100 Points

◆ Total score that reflects the evaluation of body composition. A muscular person may score over 100 points.

8 Visceral Fat Area



9 Weight Control

Target Weight	51.7 kg
Weight Control	- 7.4 kg
Fat Control	- 9.9 kg
Muscle Control	+ 2.5 kg

10 Segmental Fat Analysis

Right Arm (1.5kg)	178.0%
Left Arm (1.6kg)	183.0%
Trunk (11.7kg)	240.0%
Right Leg (2.9kg)	132.0%
Left Leg (2.9kg)	132.0%

11 Research Parameters

Intracellular Water	16.6 L (16.3~19.9)
Extracellular Water	10.9 L (10.3~12.2)
Basal Metabolic Rate	1176 kcal (1254~1451)
Waist-Hip Ratio	0.92 (0.75~0.85)
Body Cell Mass	23.8 kg (23.4~28.6)

12 Results Interpretation QR Code

Scan the QR Code to see results interpretation in more detail.



13 Whole Body Phase Angle

50 kHz | 15°

14 Impedance

Z(Ω)	RA	LA	TR	RL	LL
1 kHz	379.6	392.7	26.8	306.8	316.1
5 kHz	373.1	385.4	25.7	303.0	314.1
50 kHz	337.2	352.5	23.0	282.3	289.8
250 kHz	307.9	322.9	20.4	263.3	272.7
500 kHz	297.4	311.5	19.1	258.1	267.8
1000 kHz	286.4	297.4	17.0	254.5	264.0

The InBody Results Sheet

Body composition analysis and nutritional information at a glance

1 Body Composition Analysis

Body weight is the sum of Total Body Water, Protein, Minerals, and Body Fat Mass. Maintain a balanced body composition to stay healthy.

2 Muscle-Fat Analysis

Compare the bar lengths of Skeletal Muscle Mass and Body Fat Mass. The longer the Skeletal Muscle Mass bar is compared to the Body Fat Mass bar, the stronger the body is.

3 Obesity Analysis

BMI is an index used to determine obesity by using height and weight. PBF is the percentage of body fat compared to body weight.

4 Segmental Lean Analysis

Evaluates whether the muscles are adequately developed in the body. The top bar shows the comparison of muscle mass to ideal weight while the bottom bar shows that to the current weight.

5 ECW Ratio Analysis

ECW Ratio, the ratio of Extracellular Water to Total Body Water, is an important indicator whether the body water is balance.

6 Body Composition History

Track the history of the body compositional change. Take the InBody Test periodically to monitor your progress.

7 InBody Score

Total score that reflects the evaluation of body composition. A muscular person may score over 100 points.

8 Visceral Fat Area

Visceral Fat Area is the estimated area of fat surrounding internal organs in the abdomen. Maintain a Visceral Fat Area under 100cm² to stay healthy.

9 Weight Control

See how your body measures up to the recommended Weight, Muscle Mass, and Body Fat Mass for a good balance. The '+' means to gain and the '-' means to lose.

10 Segmental Fat Analysis

Evaluates whether the amount of fat is adequately distributed in all parts of the body. Each bar shows fat mass in comparison to the ideal.

11 Research Parameters

Various nutritional outputs are provided such as Intracellular Water, Extracellular Water, Basal Metabolic Rate, Waist-Hip Ratio, Visceral Fat Level, Obesity Degree, and more. To see a complete list, please scan the results interpretation QR code.

12 Results Interpretation QR Code


Scan the QR Code to see results interpretation in more detail.

13 Whole Body Phase Angle

Whole Body Phase Angle is the resistance value measured in the cellular membrane when electrical currents are applied throughout the body.

14 Impedance

Impedance is the resistance value measured when electrical currents are applied throughout the body. Based on the measured data, key body composition outputs can be analyzed. Impedance is also used for many research purposes.




The InBody Results Sheet for a Child


Specially designed results sheet with Growth Graph is available for a Child

ID SM2008 Height 156.9cm Age 51 Gender Female Test Date / Time 2012.05.04. 09 : 46


1 Body Water Composition




2 Body Water Analysis




3 Segmental Body Water Analysis



4 Segmental ECW Ratio Analysis



5 Body Water History



6 Body Water Composition

Total Body Water 27.5 L (26.3 ~ 31.4)
Intracellular Water 16.6 L (16.3 ~ 19.9)
Extracellular Water 10.9 L (10.0 ~ 12.2)

7 Segmental Body Water Analysis

Right Arm 2.40 L (1.22 ~ 1.49)
Left Arm 2.40 L (1.22 ~ 1.49)
Trunk 18.8 L (11.1 ~ 13.5)
Right Leg 6.25 L (3.85 ~ 4.71)
Left Leg 6.27 L (3.85 ~ 4.71)

8 Body Composition Analysis

Protein 7.2 kg (7.0 ~ 8.6)
Minerals 2.63 kg (2.44 ~ 2.98)
Body Fat Mass 21.8 kg (10.3 ~ 16.5)
Fat Free Mass 37.3 kg (33.3 ~ 40.7)
Bone Mineral Content 2.18 kg (2.01 ~ 2.45)

9 Muscle-Fat Analysis

Weight 59.1 kg (43.9 ~ 59.5)
Skeletal Muscle Mass 19.6 kg (19.5 ~ 23.9)
Soft Lean Mass 35.1 kg (35.8 ~ 43.7)
Body Fat Mass 21.8 kg (20.0 ~ 23.0)

10 Obesity Analysis

BMI 24.0 kg/m² (18.5 ~ 25.0)
PBF 36.9 % (18.0 ~ 28.0)

11 Research Parameters

Basal Metabolic Rate 1176 kcal (1254 ~ 1451)
Waist-Hip Ratio 0.92 (0.75 ~ 0.85)
Waist Circumference 72 cm
Visceral Fat Area 121.5 cm² (1 ~ 99)
Obesity Degree 114 % (90 ~ 110)
Body Cell Mass 23.8 kg (23.4 ~ 28.6)
Arm Circumference 30.2 cm
Arm Muscle Circumference 25.7 %
TBW/FFM 74.1
FFMI 12.2 kg/m²
FMI 6.8 kg/m²

Reactance

	RA	LA	TR	RL	LL
Xc(Ω) 5 kHz	12.0	11.6	2.1	9.0	8.8
50 kHz	26.2	25.0	2.3	19.8	19.1
250 kHz	23.3	21.6	2.4	13.3	13.9

12 Whole Body Phase Angle

φ 50 kHz | 15°

13 Impedance

	RA	LA	TR	RL	LL
Z(Ω) 1 kHz	379.6	392.7	26.8	306.8	316.1
5 kHz	373.1	385.4	25.7	303.0	314.1
50 kHz	337.2	352.5	23.0	282.3	289.8
250 kHz	307.9	322.9	20.4	263.3	272.7
500 kHz	297.4	311.5	19.1	258.1	267.8
1000 kHz	286.4	297.4	17.0	254.5	264.0

The InBody Body Water Results Sheet

For more detailed body water analysis

1 Body Water Composition

The body weight is the sum of Total Body water, Protein, Minerals, and Body Fat Mass. Maintain a balanced body composition to stay healthy.

2 Body Water Analysis

Compare the bar lengths of Skeletal Muscle Mass and Body Fat Mass. The longer the Skeletal Muscle Mass bar is compared to the Body Fat Mass bar, the stronger the body is.

3 Segmental Body Water Analysis

Evaluates whether the amount of body water is adequately distributed throughout the body.

4 Segmental ECW Ratio Analysis

Segmental ECW Ratio is the ratio of Extracellular Water to Total Body Water.

5 Body Water History

Track the history of the body compositional change. Take the InBody Test periodically to monitor your progress.

6 Body Water Composition

Total Body Water is the sum of Extracellular Water and Intracellular Water.

7 Segmental Body Water Analysis

Evaluates whether the amount of body water is adequately distributed in all parts of the body.

8 Body Composition Analysis

The body weight is the sum of Total Body Water, Protein, Minerals, and Body Fat Mass. Maintain a balanced body composition to stay healthy.

9 Muscle-Fat Analysis

Compare the bar lengths of Skeletal Muscle Mass and Body Fat Mass. The longer the Skeletal Muscle Mass bar is compared to the Body Fat Mass bar, the stronger the body is.

10 Obesity Analysis

BMI is an index used to determine obesity by using height and weight. PBF is the percentage of body fat compared to body weight.

11 Research Parameters

Various nutritional outputs are provided such as Intracellular Water, Extracellular Water, Basal Metabolic Rate, Waist-Hip Ratio, Visceral Fat Level, Obesity Degree, and so on.

12 Whole Body Phase Angle

Whole Body Phase Angle is the resistance value measured in the cellular membrane when electrical currents are applied throughout the body.

13 Impedance

Impedance is the resistance value measured when electrical currents are applied throughout the body. Based on the measured data, key body composition outputs can be analyzed. Impedance is also used for many research purposes.